TADANO

V320R

Technical Data | Metric



PRODUCT DETAILS

Documentazione tecnica / Détails du produit
Produktdetails/ Detalles de producto

V320R

TECHNICAL INFORMATION

Informazioni tecniche
Informations techniques
Technische information
Información técnica

MAX PAYLOAD Portata massima / Capacité max / Max Tragfähigkeit / Max capacidad	**35.000 kg**
WEIGHT WITH COUNTERWEIGHTS Peso con zavorre / Poids avec contrepoids Gewicht inklusive Gegengewichte / Peso con Contrapesos	**35.000 kg**
WEIGHT WITHOUT COUNTERWEIGHTS Peso senza zavorre / Poids sans contrepoids Gewicht ohne Gegengewichte / Peso sin contrapesos	**25.000 kg**
WEIGHT WITHOUT COUNTERWEIGHTS AND BATTERIES Peso senza zavorre e batterie / Poids sans contrepoids ni batteries Gewicht ohne Gegengewichte und Batterien / Peso sin contrapesos ni baterías	**20.700 kg**
DIMENSIONS Dimensioni / Dimensions / Abmessungen / Dimensiones	**5000 x 2150 x 2400 mm**
FRONT Anteriore / Avant / Vorderrad / Delantera	**N° 4 / 40-14-30**
REAR Posteriore / Arrière / Hinterrad / Trasera	**N° 4 / 854x320x600**
HYDRAULICS Impianto idraulico / Hydraulique / Hydraulik / Hidraulica	**280 Bar – 30 + 8 kW AC**
FRONT-WHEEL DRIVE Trazione anteriore / Traction avant Frontantrieb / Tracción delantera	**2 x 20 kW AC**
REAR STEERING Sterzatura posteriore / Direction arrière / Hintere Lenkung / Direccion trasera	**+/-90°**
BATTERY Batteria / Batterie / Batterie / Batterie	**120V - 1.120 Ah**
REMOVABLE COUNTERWEIGHTS Contrappesi removibili / Contrepoids amovibles Abnehmbare Gegengewichte / Contrapesos removibles	**10.000 kg**
ELECTRO-HYDRAULIC BRAKES Freni elettroidraulici / Freins électrohydrauliques Elektrohydraulische Bremsen / Frenos electrohidráulicos	

© COPYRIGHT: ALL RIGHT RESERVED. THE INFORMATION HERE ON IS THE PROPERTY OF MANITEX VALLA SRL.
WITHOUT WRITTED PERMISSION, ANY COPYING, TRANSMITTAL TO OTHERS AND ANY USE EXCEPT THAT FOR WHICH IS LOANED IS PROHIBITED.

V320R

EQUIPMENTS

Equipaggiamenti
Équipements
Ausrüstung
Equipamiento

STANDARD

NON-MARKING TIRES
Ruote anti traccia / Roues anti-traces
Nicht-markierende Räder / Ruedas anti-marcas

RADIO-CONTROL
Radiocomando / Radiocommande / Fernsteuerung / Radio control

HOOK
Gancio / Crochet / Haken / Gancho

OPTIONAL

MECHANICAL VARIABLE TILTING HEAD*
Testa meccanica ad inclinazione variabile / Tête inclinable mécanique
Abwinkelbare Spitze / Cabezal mecánico

HYDRAULIC VARIABLE TILTING HEAD
Testa tiltante a brandeggio idraulico / Tête inclinable hydraulique
Hydraulisch abwinkelbarer Kopf / Cabezal hidraulico

WINCH KIT
Kit Argano / Kit treuil / Winden-Satz / Kit de cabrestante

HYDRAULIC FIXED JIB
Jib idraulico fisso / Fléchette hydraulique fixe
Feste hydraulische Spitze / Plumín hidráulico fijo

MECHANICAL FIXED JIB
Jib meccanico fisso / Fléchette mécanique fixe
Feste mechanische Spitze / Plumín mecánico fijo

SELF LEVELLING FORK KIT
Kit forche autolivellanti / Kit de fourches à nivellement automatique
Selbstnivellierendes Gabelkit / Kit de horquillas autonivelantes

LITHIUM BATTERIES
Batterie al litio / Batteries au lithium
Lithiumbatterien / Baterías de litio

ATEX TRANSFORMATION
Trasformazione ATEX / Transformation ATEX
ATEX-Umwandlung / Transformación ATEX


VALLA CONNECT SYSTEM


***Configurazione minima selezionabile**
Minimum selectable configuration / Configuration minimale sélectionnable
Minimal auswählbare Konfiguration / Configuración mínima seleccionable.

V320R

OVERALL SIZE

Dimensioni d’ingombro
Dimensions globales
Gesamtgröße
Dimensiones totales







V320R

OVERALL SIZE

Dimensioni d’ingombro
Dimensions globales
Gesamtgröße
Dimensiones totales






V320R

OVERALL SIZE


Dimensioni d’ingombro
Dimensions globales
Gesamtgröße
Dimensiones totales




V320R

OVERALL SIZE

Dimensioni d’ingombro
Dimensions globales
Gesamtgröße
Dimensiones totales






V320R

OVERALL SIZE

Dimensioni d’ingombro
Dimensions globales
Gesamtgröße
Dimensiones totales




V320R

LOAD DIAGRAM (t)

Diagramma di carico (t)
Tableau de charges utiles (t)
Traglastdiagramm (t) / Lastendiagram (t)
Diagrama de las capacidades de carga (t)

UNI EN 13000:2014
ISO 4305:2014




V320R

LOAD DIAGRAM (t)

Diagramma di carico (t)
Tableau de charges utiles (t)
Traglastdiagramm (t) / Lastendiagram (t)
Diagrama de las capacidades de carga (t)

UNI EN 13000:2014
ISO 4305:2014




V320R

LOAD DIAGRAM (t)

Diagramma di carico (t)
Tableau de charges utiles (t)
Traglastdiagramm (t) / Lastendiagram (t)
Diagrama de las capacidades de carga (t)

UNI EN 13000:2014
ISO 4305:2014




V320R

LOAD DIAGRAM (t)

Diagramma di carico (t)
Tableau de charges utiles (t)
Traglastdiagramm (t) / Lastendiagram (t)
Diagrama de las capacidades de carga (t)

UNI EN 13000:2014
ISO 4305:2014




V320R

LOAD DIAGRAM (t)

Diagramma di carico (t)
Tableau de charges utiles (t)
Traglastdiagramm (t) / Lastendiagram (t)
Diagrama de las capacidades de carga (t)

UNI EN 13000:2014
ISO 4305:2014




V320R

FULL

LOAD DIAGRAM (t)

Diagramma di carico (t)
Tableau de charges utiles (t)
Traglastdiagramm (t) / Lastendiagram (t)
Diagrama de las capacidades de carga (t)

UNI EN 13000:2014
ISO 4305:2014



info.valla@tadano.com
www.tadano.com

Tadano Ltd.
Kanda Square 18th Floor, 2-2-1 Kanda-Nishikicho, Chiyoda-ku, Tokyo 101-0054, Japan
Phone: +81-3-6811-7309 (International Division)

Manitex Valla S.R.L.
Via Leonardo da Vinci, 12 29016 - Careco - Piacenza - Italia.
Tel.: +39 0523 256411

© Tadano Ltd. 2025

Reaching new heights

TADANO