



V60R

Technical Data | Imperial



13.225 lb


MAX PAYLOAD

Portata massima / Capacité max
Max Tragfähigkeit / Max capacidad

V60R

TECHNICAL INFORMATION AND OVERALL SIZE

Informazioni tecniche e dimensioni d'ingombro
Informations techniques et dimensions globales
Technische Informationen und Gesamtgröße
Información técnica y dimensiones totales



MAX PAYLOAD

Portata massima / Capacité max
Max Tragfähigkeit / Max capacidad

13.225 lb

TOTAL WEIGHT

Peso totale / Poids total
Gesamtgewicht / Peso total

12.785 lb

DIMENSIONS

Dimensioni / Dimensions
Abmessungen / Dimensiones

110 x 45 x 65 in

FRONT

Anteriore / Avant / Vorderrad / Delantera

N° 2 Cushion 22x8x16

REAR

Posteriore / Arrière / Hinterrad / Trasera

N° 2 Cushion 406x152x267

HYDRAULICS

Impianto idraulico (Pressione massima/Potenza motore)
Hydraulique (Pression maxi/Puissance moteur)
Hydraulik (Max Druck/Motorleistung)
Hidraulica (Presion max/Potencia motor)

220 Bar – 8 kW AC

FRONT-WHEEL DRIVE

Trazione anteriore / Traction avant
Frontantrieb / Tracción delantera

2 x 1,9 kW AC

REAR STEERING

Sterzata posteriore / Direction arrière
Hintere Lenkung / Dirección trasera

600 W AC - 180°

BATTERY

Batteria / Batterie / Batterie / Batterie

80V - 400 Ah

COUNTERWEIGHTS

Contrappeso / Contrepoids
Gegengewichte / Contrapesos

4.030 lb

ELECTRO BRAKES

Freni elettrici / Freins electro / ElektroBremse / Frenos electros

info.valla@tadano.com

www.tadano.com

Tadano Ltd.

Kanda Square 18th Floor, 2-2-1 Kanda-Nishikicho, Chiyoda-ku, Tokyo 101-0054, Japan

Phone: +81-3-6811-7309 (International Division)

Manitex Valla S.R.L.

Via Leonardo da Vinci, 12 29016 - Careco - Piacenza - Italia.

Tel.: +39 0523 256411



Reaching new heights

